

ERF Cable, SMA-F(rp) ~ U.FL

ERF5007

Description

The ERF5007 is a RF-Cable suitable for RF applications. The cable has a SMA female reversed polarity connector, and a U.FL connector. It can be used for RF cable assemblies, and as an accessory for antenna's.



Typical applications

- RF Cable assembly
- Antenna accessory

Features

Mechanical Properties

Connector Type: SMA Female Reversed polarity & U.FL

Cable Length: 200 mm ± 3

Cable type: Coaxial

Operating Temperature Range: -20°C~+75°C

Storage Temperature Range: -40°C~+80°C


Dimensions

*unit: mm

Part	Description	Diameter/Material	Finish	QTY
1	Cable	1,13mm	Black	1
2	SMA ST. JR			1
3	IPEX			1
4	Washer	Brass	Gold plating	1
5	NUT	Brass	Gold plating	1
6	Heat shrink tube		Black	1

ERF Cable, SMA-F(rp) ~ U.FL

ERF5007



Connector



The ERF5007 uses a SMA Female reversed polarity and an U.FL connector.

Ordering information

Ordering can be done via www.summit-electronics.com or via info@summit-electronics.com. Please contact us for more information. Customisation of the product is available on request.

Technical support

For all product questions please contact us via info@summit-electronics.com

Document revision

Rev	Date	changes
V01.00	16-07-2023	First issue of document, EK